

Customer Name: _____

Tag Name: _____ Repeat Customer? Yes No

Qty: _____ Unit Location: _____

Unit # _____ Site Map# (if required) _____

STEP 1: MULTIPLE CURTAIN SECTIONS

NOT AVAILABLE FOR HABITAT XL UNITS


STEP 2: SCREEN TYPE


- (Includes Screen Edge Retention System)
- Colour: _____
- TuffScreen® SheerWeave®
 SunTex® 90 99% (Additional charges apply)
 SunTex® 95


Bottom Profile: Habitat XL is only available with the Heavy-duty bottom profile

STEP 3: GUIDE RAILS & MOUNTING METHODS

Note: Default guide rails: PRO

- Face of Wall Installation:**
- Pre-drill rails: at 8.5 mm Reg. 

- Between Jamb:** 2 pieces of build up at B2 provided (No rail drilling)
- L-Build-up L-Sill 7/8" Build-up 


- Recessed Rails with NO build-up:** Mounting thru channel
- Pre-drill rails: at 8.5 mm Reg. 

STEP 4: UNIT DIMENSIONS

Does your B1 measurement include:

2 1/4" (57 mm) upset to allow bottom profile to clear the top of the opening? Yes Not required


3/4" (19 mm) or 2" (50 mm) extra for Bug Brush to clear the opening? Yes Not required



STEP 5: OPERATORS


Indicate Operator Location

Operator from Reverse Side (shaft access)



Exit Hole Location

For manual override operator, select exit location



STEP 6: OPERATOR & COMPONENT OPTIONS


- Upgrade to Manual Override Motor**
(Select crank rod)
 Attached Removable w/Bell
 Removable with Universal
- Standard Limit Motor**
Paddle Switch: SPDT DPDT
Style: Maint. Mom.
Cover Plate: Yes No
- Upgrade to contact sensing motor**
- Somfy RTS Motor**
 Situo 1 Transmitter
 Situo 5 Transmitter
 Telis 16 Transmitter
 Telis 4 Patio Transmitter
 Telis 4 Soliris Patio Trans.
 DecoFlex 1 White
 DecoFlex 5 White
- 24' Somfy RTS Motor Cable**
- Somfy® Specialty Transmitters**
 Telis 1 Chronis RTS 24/7 Timer SOLIRIS RTS Sun & Wind Sensor
 Somfy MyLink™ EOLIS RTS Wind Sensor
 Smoove® 1 Smoove® 4 Somfy® Outdoor RTS Sun Sensor
 Smoove® Faceplate Colour: _____

STEP 7: SILLS

- L-Shaped 22 x 42mm (7/8" x 1-11/16"), Cut at A2

STEP 8: BUILD-UP


Note: This section is for extra build-up only.



Check off on the diagram at the right where you want to have build-up, and then check off below, the build-up thickness required for each location

Total Build up achieved with Pro Rail:

2 15/16"	1 3/4"	1 1/4"	1"	3/4"	1/2"
75 mm	45 mm	32 mm	25 mm	19 mm	13 mm

- Build-up Tubing:** 2" x 1" 2" x 2" 2" x 3" 2" x 4"
- Predrill Tubing:** Location: 

STEP 9: COLOUR SELECTIONS

	Bottom Profile	Guide Rails	Panel Box	Sill	Build-up
White	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Beige	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brown	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Silver	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Custom Colour	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Custom Colour Name: _____

STEP 10: BUG BRUSH

If required, indicate location and size of Bug Brush

- Location:** Panel Box (one size only) Bottom Profile **Size:** 3/4" 2"

Note: If Bug Brush is required on Bottom profile, please add another 3/4" or 2" if Bug Brush needs to clear opening

NOTES _____